

Colonial's

OUTDOOR LIVING PRODUCTS

PIZZA OVENS . INDOOR & OUTDOOR FIREPLACES . FIRE PITS


5956 Perth Rd. 119 Brunner ON N0K 1C0

Tel: 519-595-4261 Fax: 519-595-2399

Website: www.colonialbrickandstone.com


Email: elroy@cyg.net

**The largest line of modular
fireplaces and outdoor
room components in the
industry, offering simple
installation, unparalleled
quality, outstanding
performance and
exceptional durability.**



**Indoor Fireplaces
Fire Pits
Wood Fired Ovens**

**Outdoor Fireplaces
Kitchen Islands
Barbecue Smokers**



Modular Masonry Technology at its Finest

Colonial's

OUTDOOR LIVING PRODUCTS


PIZZA OVENS . INDOOR & OUTDOOR
FIREPLACES . FIRE PITS



Pizza Oven & Fireplace Combo




Outdoor Kitchens



Colonial's New Age™ Indoor Fireplaces

New Age™ Indoor fireplaces deliver outstanding performance, excellent quality and exceptional durability, in a form factor optimized for indoor applications, and may also be used in outdoor applications requiring a zero-clearance fireplace. New Age™ fireplaces use a heavy-duty, reinforced solid-wall construction, and are made from Stone Age's proprietary high-temperature tolerant, high-strength concrete mix (over 3500 psi), which results in a much stronger and more durable fireplace than lighter weight products that may look similar at a glance. Some manufacturers may tout lighter weight as an advantage, but we believe our stronger, denser concrete formula and heavy-duty construction yield a fireplace that will perform better with a longer life expectancy, giving the homeowner additional peace of mind knowing they have the highest quality fireplace on the market.

New Age™ models are tested to UL-127/ULC-S610 and UL-103, and are certified as zero-clearance fireplaces, allowing framing directly to the units, if desired, and may be used with our masonry chimney flue sections or with UL-103 metal flue systems. New Age™ fireplaces have also been tested to ICC-ES AC156 for tolerance to seismic activity.



Available with 36", 42", 48" 60" and 72" firebox opening widths. Firebox opening heights are 27" for 36 - 42" kits, 32" for 48" kits, and 41" for 60" - 72" kits. Note that these dimensions are with firebrick installed. Offered with straight lintel only.

Refer to Section I of Price List



Colonial's INDOOR FIREPLACE KITS

New Age™ 36" through 48" Fireplaces ship on a single pallet per unit. 48" models will be slightly oversized on their pallets.

New Age™ 60" and 72" kits ship on 2 or more pallets, depending upon size.


Chimney flue and firebrick ships on separate pallets from the fireplace, and smaller accessories generally will be shipped in corrugated paper boxes, depending upon the item.

Packaging and Shipping Information



New Age™ Fireplace Construction Overview

Construction of the New Age™ fireplace is very simple. Project and site preparation should include pouring a reinforced concrete footing for the unit, per the instructions included with the fireplace kit. Depth of the pad and specific reinforcement requirements, such as piers, should be determined based on size of the unit, type of finish material to be applied, local soil stability, climate and building codes. The New Age™ Indoor fireplace is a zero-clearance design, and framing may be placed directly against the kit components.



Once the kit is assembled, finish application may begin. Any masonry-compatible finish, such as stucco, tile, brick, man-made or natural stone, may be applied directly to the kit's exterior surface.

Colonial's

OUTDOOR LIVING PRODUCTS

OUTDOOR & INDOOR FIREPLACES

Colonial Brick & Stone Inc.

5956 Perth Rd. 119 Brunner ON NOK 1C0

Tel: 519-595-4261 Fax: 519-595-2399

Website: www.colonialbrickandstone.cm

Email: elroy@cyg.net


These models were born of a desire to simplify fireplace construction for masons and consumers, while delivering consistently outstanding quality and performance in outdoor applications.

Superior design and materials are the hallmark of Colonials high temperature tolerant, high-strength concrete mix (over 3500 psi), with reinforced solid wall construction, which results in a much stronger and more durable fireplace than lighter weight products that may look similar at a glance. With Colonial, you've got a product you can be confident in for years to come.



Our elegantly simple designs draft well in outdoor conditions, with minimal smoke spillage into the viewing area of the fireplace, allowing consumers to enjoy their fireplaces at times when owners of lesser fireplaces might be forced indoors.

Our Veranda™ and Patio Series™ models further simplify construction for the do-it-yourselfer without compromising quality or performance.

Outdoor Fireplace Models



Indoor & Outdoor Fireplace Models



Colonial's

OUTDOOR LIVING PRODUCTS

INDOOR OR OUTDOOR FIREPLACE KITS

Colonial Brick & Stone Inc.
 5956 Perth Rd. 119 Brunner ON N0K 1C0
 Tel: 519-595-4261 Fax: 519-595-2399
 Website: www.colonialbrickandstone.cm
 Email: elroy@cyg.net

Colonial Contractor Series Fireplaces

The Contractor Series offers Colonial design and materials with an emphasis on value. The Standard kit is distilled down to its essential components of fireplace and chimney and additional items are left optional to give you a fireplace comparable to competing models with Colonial quality & innovation.

The Contractor Series is the perfect choice for applications where a customized profile is desired or for projects where the lower wood storage area of the Standard fireplace is not needed.

UL-127/ULC-S610 Certified for indoor or outdoor applications. Available with 24", 36", or 48" firebox opening width, single-sided or See-Thru. Firebox opening height is 28" arched lintel or 22" strait.



Item No	Model	Weight
SA-24CN	24" with Arched Lintel	1540
SA-24CN-STR	24" with Straight Lintel	1540
SA-24CN-ST	24" See-Thru, Arched Lintel	1540
SA-24CN-ST-STR	24" See-Thru, Straight Lintel	1540
SA-36CN	36" with Arched Lintel	1760
SA-36CN-STR	36" with Straight Lintel	1760
SA-36CN-ST	36" See-Thru, Arched Lintel	1760
SA-36CN-ST-STR	36" See-Thru, Straight Lintel	1760
SA-48CN	48" with Arched Lintel	2120
SA-48CN-STR	48" with Straight Lintel	2120
SA-48CN-ST	48" See-Thru, Arched Lintel	2120
SA-48CN-ST-STR	48" See-Thru, Straight Lintel	2120



Refer to Section 5 of Price List

Accessory Items to Complete Installation of Contractor Series Fireplaces

Item No	Model	Weight	
Chimney Sections			SAFL1717-6
SAFL1313-6	6"t Small width for 24" Contractor Series kits	100	
SAFL1717-6	6"t Large for 36" - 48" Contractor Series kits	100	
Firebrick			
SA-S1001	Firebrick - Splits, 9" x 4 1/2" x 1 1/4"	4	
High-Temperature Mortar			
SA-APRM	Multi-Purpose Ready-Mix Mortar, 5 Gallons	60	SA-S1001
			SA-APRM

Refer to Sections 8 and 19 of Price List

Recommended Accessories: Chimney cap, log grate.

Colonial's

OUTDOOR LIVING PRODUCTS

FIREPLACE CUSTOMIZATION OPTIONS

Colonial Brick & Stone Inc.

5956 Perth Rd. 119 Brunner ON N0K 1C0

Tel: 519-595-4261 Fax: 519-595-2399




Website: www.colonialbrickandstone.com

Email: elroy@cyg.net


Wood Storage Boxes are an alternative to conventional wood storage arrangements, and create the foundation for a wide range of custom fireplace profiles. Available for Standard, Contractor Series, and New Age™ models, with arched and square openings, or with no opening for custom arches or other modification. 36" wide, 36" tall, 33" deep for Standard Fireplaces, NA models are 30" deep for New Age™ fireplaces.

Item No	Model	Weight
SA-WCA	Standard Fireplace, Arched Opening	585
SA-WCS	Standard Fireplace, Square Opening	585
SA-WCN	Standard Fireplace, No Opening	650
SA-WCA-NA	New Age™ Fireplace, Arched Opening	585
SA-WCS-NA	New Age™ Fireplace, Square Opening	585
SA-WCN-NA	New Age™ Fireplace, No Opening	650

Refer to Sections 11 & 12 of Price List



Recommended Accessories: Wood cabinet doors, concrete adhesive, Multi-Purpose Ready-Mix.



Angled Storage Adapter Kits

Angled Storage Adapter kits facilitate the installation of side-mounted wood storage boxes for angled or corner-mounted fireplaces, creating another unique customization option. Kit top angle is 22.5°, and may be field modified down to 45°.

Item No	Model	Weight
SA-WAA	Angled Storage Adapter Kit- Standard	155
SA-WAA-NA	Angled Storage Adapter Kit-New Age™	155

Refer to Sections 11 & 12 of Price List

Colonial's

OUTDOOR LIVING PRODUCTS

OUTDOOR OVEN KITS

Colonial Brick & Stone Inc.

5956 Perth Rd. 119 Brunner ON N0K 1C0

Tel: 519-595-4261 Fax: 519-595-2399

Website: www.colonialbrickandstone.com


Email: elroy@cyg.net

Brick Ovens are the perfect complement to our other outdoor kitchen components, and allow the outdoor chef unlimited cooking flexibility while incorporating the taste of real wood. Optional top-mount dampers are available, for more precise temperature control and greater cooking flexibility.

Available with 24" firebox opening width, 27" depth. Firebox opening height is 21", with arched lintel.

Item No	Model	Weight
SA-BO	Stone Age Brick Oven	1600
SAFL1313-6	6"t Chimney Sections	100

Refer to Section 16 of Price List



Recommended Accessories: Top-mount damper, Multi-Purpose Ready-Mix.


Vecchio™ Pizza Oven

The Vecchio™ Pizza Oven offers the fun and flavor of traditionally-cooked pizza, in a smaller, easy-to-manage footprint that integrates perfectly with our Cabinet Component System™. Add the optional top-mount damper for more precise temperature control and greater cooking flexibility.

Available with 24" firebox opening width, 28" depth. Firebox opening height is 9", with arched lintel.

Item No	Model	Weight
SA-VPO-34	Vecchio™ Pizza Oven	1100
SAFL1313-6	6"t Chimney Sections	100

Refer to Section 16 of Price List



Recommended Accessories: Top-mount damper, Multi-Purpose Ready-Mix.

Colonial's

OUTDOOR LIVING PRODUCTS

OUTDOOR OVEN KITS

Colonial Brick & Stone Inc.

5956 Perth Rd. 119 Brunner ON N0K 1C0

Tel: 519-595-4261 Fax: 519-595-2399

Website: www.colonialbrickandstone.com


Email: elroy@cyg.net

Mezzo™ Pizza Oven

The Mezzo™ Pizza Oven offers the same old world flavor of the Amerigo™ in a smaller package that fits the depth of our Cabinet Component System™ island kits, and features an arched cooking chamber with over 800 square inches of cooking surface. Cooking surface measures 27" deep by 30" wide. Kits include firebrick, 9" chimney flue and metal oven door.

Item No	Model	Weight
SA-MPO-36	Mezzo™ Pizza Oven	1150

Refer to Section 16 of Price List




Recommended Accessories: Wood-clad door, Multi-Purpose Ready-Mix.

Amerigo™ Pizza Oven

The Amerigo™ Pizza Oven has everything you need for old world pizza cooking and more. Featuring an arched cooking chamber and over 1500 square inches of cooking surface, the Amerigo™ complements any outdoor kitchen. Cooking surface measures 36" deep by 42" wide. Kits include firebrick, 9" chimney flue and metal oven door.

Item No	Model	Weight
SA-APO-48	Amerigo™ Pizza Oven	1650

Refer to Section 16 of Price List



Recommended Accessories: Wood-clad door, Multi-Purpose Ready-Mix.

Colonial's

OUTDOOR LIVING PRODUCTS

OVEN & STORAGE DOORS,
OVEN ACCESSORIES & CHIMNEY CAPS

Colonial Brick & Stone Inc.
5956 Perth Rd. 119 Brunner ON N0K 1C0
Tel: 519-595-4261 Fax: 519-595-2399
Website: www.colonialbrickandstone.com
Email: elroy@cyg.net

Pizza Oven & Wood Storage Doors

Stone Age oven and wood storage doors provide the finishing touch for the outdoor room. Metal doors finished in black high-heat paint are included with Mezzo™ and Amerigo™ pizza ovens, with beautiful wood-clad metal doors available as an option. Matching wood doors are offered for all wood storage cabinets. All wood doors are offered unfinished and ready for staining, sealing or painting.

Item No	Model	Weight
SA-APODA-ML	Amerigo™ 1/8" Steel Door, Standard	18
SA-APODA-UN	Amerigo™ Wood-Clad Steel Door, Unfinished	20
SA-MPODA-ML	Mezzo™ 1/8" Steel Door, Standard	8
SA-MPODA-UN	Mezzo™ Wood-Clad Steel Door, Unfinished	10
SA-PCDA-UN	Wood Cabinet Door, Arched, Unfinished	18
SA-PCDS-UN	Wood Cabinet Door, Square, Unfinished	18

SA-APODA-UN



SA-PCDS-UN



SA-APODA-ML



SA-PCDA-UN



SA-MPODA-UN



SA-MPODA-ML



Refer to Section 18 of Price List

Accessory Items to Complete Installation of Stone Age Oven Models

Item No	Model	Weight
Chimney Sections		
SAFL1313-6	6"t Small width for Brick and Vecchio™ oven kits	100
SAFLAPO	12"t for Amerigo™ and Mezzo™ oven kits	46

High-Temperature Mortar

SA-APRM	Multi-Purpose Ready-Mix Mortar, 5 Gallons	60
---------	---	----

Refer to Sections 8 and 19 of Price List

SAFL1313-6



SA-APRM



SAFLAPO



Chimney Caps

Stone Age offers chimney caps for our fireplaces, brick ovens, pizza ovens, and smokers. Standard, flat-top chimney caps with mesh screening are available in black galvanized steel.

Standard Chimney Caps

Item No	Model	Weight
SA-BBT1010	Black Galvanized, Veranda™, Amerigo™, Mezzo™ & Big/Little Pig™	9
SA-CBO1313	Black Galvanized, 24" Fireplaces & Ovens, New Age™ 36" & 60"	10
SA-CBO1318	Black Galvanized, New Age™ 42", 48" & 72" Fireplaces	12
SA-CBO1818	Black Galvanized, 36" & 48" Standard, Contractor & Patio Fireplaces	15

SA-CBO1313



Refer to Section 20 of Price List

Colonial's

OUTDOOR LIVING PRODUCTS

FIRE PIT KITS

Colonial Brick & Stone Inc.
 5956 Perth Rd. 119 Brunner ON NOK 1C0
 Tel: 519-595-4261 Fax: 519-595-2399
 Website: www.colonialbrickandstone.cm
 Email: elroy@cyg.net

Colonial offers a wide selection of fire pits for any setting. Simple, three to five piece construction greatly speeds up installations. All models feature extended base plates with molded feet, which may be used to allow movement after assembly or to create clearance and airflow under the unit, as required for installations on wooden structures, or the base may be positioned to place the feet inside the pit if not needed. Three round configurations are available, plus a square model, and optional extension kits to create a rectangular fire pit. Lining with firebrick is recommended for wood burning applications.

Refer to Section 21 of Price List

Short Round Fire Pit

Item No
SA-SRP

Model
Short Round

Dimensions
42" w x 14" t, 36" I.D.
16 1/2" t with feet

Weight
480



SA-SRP




Item No
SA-TRP

Model
Tall Round

Dimensions
42" w x 25" t, 36" I.D.
27 1/2" t with feet

Weight
620

Tall Round Fire Pit



SA-TRP




Large Round Fire Pit

Item No
SA-LRP

Model
Large Round

Dimensions
48" w x 18" t, 42" I.D.
20 1/2" t with feet

Weight
700



SA-LRP



Recommended Accessories: Log grate set, firebrick (wood burning applications), coping kits, Multi-Purpose Ready-Mix